

GENERAL INDEX TO VOLUME XVI

New scientific names of plants and the final members of new combinations are printed in **bold face** type; synonyms, and page numbers having reference to figures and plates, in *italics*; and previously published names and all other matter, in ordinary type.

A

- Abutilon*, species of, 216: effect of infectious chlorosis on, 130, 158, 159, 220; effect of continuous light on, 177, 214, 218, of short-day illumination on, 178, 222, of total darkness on, 180; effect of removing variegated leaves, 220; grafting experiments with, 187, 218; histological studies of, subjected to various conditions of light, 182; transmission of infectious chlorosis in, by means of inoculations, 184
Acanthostigmella genuflexa, 288, 358; *Thaxteri*, 321, 376
 Acidity in variegated leaves, 171, 189; electrometric determinations of, 189, 196; effect of exposure to air on, 193
Agave scaphoidea, 391; *utahensis*, 389, var. *nevadensis*, 390, 392
Agaves, New, from southwestern United States, 389
Amsonia, A new species of, from the south-central states, 407
Amsonia illustris, 407; *ludoviciana*, 409; *salicifolia*, 410; *Tabernaemontana* var. *Gattingeri*, 407, var. *salicifolia*, 410
Anderson, Edgar. Variation in *Aster anomalus*, 129
Apocynaceae, Studies in the, IIIA, 407
Ascospores of *Daldinia*, experiments in germination of, 417
Aster anomalus, 130, 144, Variation in, 129; *azureus*, 131, 144; *oblongifolius*, 131; *Shortii*, 131, 137; *turbinellus*, 137, 144
Auricularia, 49

B

- Byssosphaeria helicophila*, 320

C

- Calcium in variegated leaves, 170
 Calcium chloride solutions, tolerance map for collards in, 63; average root-hair elongation in, 67, maximum, 67
 Calcium hydroxide, average root-hair elongation in, 67, maximum, 67
 Calcium nitrate: average root-hair elongation in, 55, 56, 67; maximum root-hair elongation in, 57, 67; pH-molar

- rate relation for collards in, 53; root and root-hair elongation in .004 M, 55, 61, in .012 M, 61, 62, in .020 M, 62, 62
 Carbon dioxide: assimilation products of, in variegated leaves, 170; relation of, to infectious chlorosis, 158
Cattleya Trianae: X *Laelio-Cattleya luminosa aurea*, 502, X *Cattleya "Princess Royal" alba*, 502, X *Cattleya O'Brieniana*, 502
Cercospora, 1; A host index to the North American species of the genus, 1, 9; host families of, 51; index to species of, 29
Cercospora, 3; *Apii*, 3; *Chenopodii*, 3; *ferruginea*, 3; *penicillata*, 3
Cercosporiella, 4; *cana*, 4; *persica*, 4
Chaetosphaeria parvicapae, 322
 Child, Marion. Preliminary studies in the genus *Daldinia*, 411
 Chlorine, effect of, on growth of orchid seedlings, 511
 Chlorosis, infectious: host range of, 162; in variegated plants, Some chemical and physiological studies on the nature and transmission of, 145; theories concerning, 165
Clathrosphaeria, 331
 Climatic factors, relation of, to infectious chlorosis, 158
Clinococonidium, 342; *farinosum*, 343
 Collards, The pH-molar rate relation for, in calcium nitrate, 53
Cystobasidium, 491

D

- Daldinia*, Preliminary studies in the genus, 411
Daldinia, 411; *cingulata*, 412; *concentrica*, 412, germination of ascospores of, 417, 484, 486, morphology of, 475, mycelial growth of, 456, 482; *Escholzii*, 415; *loculata*, 412; *vernica*, 412, germination of ascospores of, 418, 484, 486, morphology of, 475, mycelial growth of, 456, 482; X, 412, germination of ascospores of, 418, 486, morphology of, 475, mycelial growth of, 456, 482; Y, 412, germination of ascospores of, 418, morphology of, 475, mycelial growth of, 456, 482

- Darkness, effect of, on variegated plants, 180
 Davis, E. F. Some chemical and physiological studies on the nature and transmission of infectious chlorosis in variegated plants, 145
 Delortia, 338; *lignitalis*, 336; *palmicola*, 338, 384
 Dodge, Carroll W., Zeller, S. M. and. Hysterangium in North America, 83
 Drepanoconis, 341; *anguisporus*, 344, 384; *brasilense*, 343; *fructigena*, 343; *larvaeformis*, 343, 384

E

- Electrometric determinations of hydrogen-ion concentration, 189, 196, apparatus used in, 224
 Enzymes, effect of, on germination of ascospores, 425
 Eryngium mexicanum, 395; *mexicanum*, 395; *phyteumae*, 395; *Wolfii*, 395
 Everhartia, 335; *candida*, 337, 384; *hymenuloides*, 337, 384; *lignitalis*, 336, 384
 Evonymus, effect of continuous illumination on, 176; effect of short-day illumination on, 179; effect of total darkness on, 180; grafting and budding experiments with, 186; transmission of infectious chlorosis in, by means of inoculations, 185; variegated leaves of, 216, 220, 226

F

- Farr, Clifford H. Studies in the growth of root hairs in solutions, IX, 53
 Freezing: effect of, on acidity of juice from variegated leaves, 193; effect of, on buffer action, 199; and ultra-violet radiation, effect of, on germination of ascospores of *Daldinia*, 428
 Fungi Imperfecti, A monograph of the *Helicosporus*, 227

G

- Gaura suffulta Engelmann, 399
 Germination of ascospores of *Daldinia*, 417: effect of different media on, 440; effect of enzymes on, 425; effect of hydrogen-ion concentrations on, 450; effect of temperature on, 431; effect of ultra-violet radiation on, 427; experiments with old ascospores, 417, with fresh ascospores, 422
 Germination of orchids, non-symbiotic, 499
 Glucose, growth of *Cattleya* seedlings on media containing, 505, 507

- Grafting: transmission of infectious chlorosis by, 150; and budding experiments with variegated and green plants, 186
 Greenman, J. M. A new variety of *Senecio aureus* L., 405; and Eva M. Fling Roush. New agaves from southwestern United States, 389
Gyroceras nymphaearum, 294; *plantaginis*, 388

H

- Helicodendron*, 329; *fuscum*, 332, 380; *hyalinum*, 333, 380; *paradoxum*, 329; *triglitzensis*, 330, 380, 386; *tubulosum*, 330, 380
Helicodesmus, 329; *albus*, 330
Helicoma, 295; *ambiens*, 310, 368, 372; *ambiguum*, 273; *asperothecum*, 311, 372; *atroseptatum*, 307, 372; *bambusae*, 319; *Berkeleyi*, 304, 318; *binale*, 318, var. *apertum*, 318; *candidum*, 316, 374; *conicodentatum*, 311, 374; *Curtisii*, 312, 368, 386, 388; *fasciculatum*, 315, 374; *griseum*, 285; *intermedium*, 306; *larvale*, 322; *limpidum*, 301; *microscopicum*, 299, 364; *minutissimum*, 298, 364; *monilipes*, 302, 364; *Morgani*, 304, 366; *Mülleri*, 307, 368; *olivaceum*, 302, 364; *palmigenum*, 306; *perelegans*, 303, 366; *phaeosporium*, 304, 370; *polysporum*, 300, 364; *proliferans*, 309, 370, 388; *recurvum*, 312, 374; *repens*, 300; *roseolum*, 297, 364; *simplex*, 315, 374; *stigmatum*, 298, 364; *velutinum*, 305, 370; *violaceum*, 303, 366
Helicoma, 317
Helicomycetes, 270; *albus*, 271, 275; *ambiguus*, 273, 350; *anguisporus*, 344; *aureus*, 279; *bellus*, 273; *brunneolus*, 308; *candidus*, 316; *cinereus*, 282; *clarus*, 271; *Curtisii*, 313; *diplosporus*, 319; *elegans*, 271; *fasciculatus*, 315; *fuscus*, 288; *gracilis*, 281; *larvaeformis*, 343; *microscopicus*, 299; *mirabilis*, 340; *Mülleri*, 308; *niveus*, 298; *olivaceus*, 277; *roseus*, 271, 350; *scandens*, 274, 350, 386, 388; *sphaeropsis*, 298; *tenuis*, 272; *triglitzensis*, 330; *tubulosus*, 330; *vegetus*, 277
Helicoon, 322; *auratum*, 325, 378; *ellipticum*, 326, 378, 388; *Fairmani*, 325; *farinosum*, 324, 378; *fuscosporum*, 326, 378; *politulum*, 328; *reticulatum*, 327, 378; *Richonis*, 323; *sessile*, 325, 378; *thysanophorum*, 332; *tubulosum*, 331
Helicopsis, 295; *olivaceus*, 302; *punctata*, 302

Helicoryne, 295; *ramosa*, 327; *viride*, 307
Helicosporium, 275; *albidum*, 287; *albo-carneum*, 290; *ambiens*, 310; *auratum*, 325; *aureum*, 279, 354, 386; *Berkeleyi*, 318; *binale*, 319; *Boydii*, 305; *brunneolum*, 308; *brunneum*, 291; *cinereum*, 282; *Curtisii*, 312; *decumbens*, 284, 356; *diplosporium*, 319; *Elinorae*, 290, 362; *ellipticum*, 327; *Ellisii*, 291; *fasciculatum*, 315; *Fuckelii*, 277; *fuscum*, 332; *gracile*, 281, 352, 354; *griseum*, 285; *griseum*, 282, 356; *guianensis*, 280, 352; *herbarum*, 292; *intermedium*, 306, var. *palmigenum*, 306; *leptosporium*, 282; *limpidum*, 301; *lumbrioides*, 282, 356, 388; *lumbrioides*, 282; *lumbriopsis*, 284, 358, 360; *microscopicum*, 299; *monilipes*, 302; *Mülleri*, 307; *nematosporeum*, 288, 362; *nymphaeaceum*, 294; *olivaceum*, 277; *pallidum*, 286, 358; *phaeosporium*, 304; *phragmites*, 287, 358; *pilosum*, 279; *politulum*, 328; *polysporium*, 300; *populi*, 293; *prasinum*, 293; *pulvinatum*, 293; *pulvinatum* var. *effusum*, 277; *ramosum*, 327; *recurvum*, 312; *repens*, 300; *Richonis*, 323; *serpentinum*, 288, 360; *simplex*, 315; *spectabile*, 304; *thysanophorum*, 332; *Tiliae*, 313; *vegetum*, 277, 352; *velutinum*, 305; *viride*, 308
Helicostilbe, 333; *helicina*, 274, *simplex*, 334, 382
Helicostilbe, 333
Helicotrichum, 276; *albo-carneum*, 290; *brunneum*, 291; *candidum*, 316; *populi*, 293; *pulvinatum*, 277, 293
Herpotrichia pezizula, 314
Hobsonia, 339; *Ackermanni*, 340; *gigaspora*, 340, 382; *mirabilis*, 340, 382, 388
Host index to the North American species of the genus *Cercospora*, 1
Host relations in infectious chlorosis, 158
Houstonia Croftiae Britton & Rusby, 401, 404; *humifusa*, 401, 404; *parviflora*, 402, 404
Hydrogen-ion concentration: effect of different, on ascospore germination in *Daldinia*, 450; effect of, on radial growth of mycelium, 471; molar rate relation for collars in calcium nitrate, 53; of leaf juices from variegated leaves, 189; of medium, effect of, on growth of *Cattleysa* seedlings, 510
Hyperhiza, 83
Hysterangium in North America, 83
Hysterangium, 83; *affine*, 92, 126, 128, var. *irregulare*, 93, var. *tenuispora*, 93; *album*, 87, 124, 128; *australe*, 102; *australe*, 102; *calcareum*, 119, 128; *cinereum*, 103; *cistophilum*, 107,

126, 128; *clathroides*, 93, 126, 128, var. *crassum*, 96; *clathroides*, 96, 107, 112, var. *cistophilum*, 107, var. *mutabile*, 112; *coriaceum*, 113; *crasichachis*, 101, 124, 128; *Eucalyptorum*, 93; *Fischeri*, 109, 124, 128; *fragile*, 118; *fuscum*, 105, 128; *fusisporium*, 121; *Gardneri*, 105; *Harknessii*, 102, 128; *inflatum*, 98, 126, 128; *Marchii*, 121; *membranaceum*, 104, 128; *neglectum*, 88, 128; *neocaledonicum*, 113, 128; *nephriticum*, 99, 128; *niger*, 122; *obtusum*, 97, 128; *occidentale*, 89, 128; *Petri*, 119; *Phillipsii*, 91, 128; *Pompholyx*, 106, 128; *Pseudo-Acaciae*, 122; *pumilum*, 115, 124, 128; *purpureum*, 110, 124, 128; *Rickeni*, 117; *rubescens*, 112; *rubricatum*, 105, 128; *siculum*, 114; *Nr. 258*, 109; *stoloniferum*, 111, 128, var. *rubescens*, 112; *stoloniferum* var. *americanum*, 94; *strobilus*, 90, 124, 128; *Thaxteri*, 114, 126, 128; *Thwaitesii*, 116, 128; *viscidum*, 120

I

Illumination: continuous, effect of, on infectious chlorosis, 174; short-day, effect of, on infectious chlorosis, 178; total darkness, effect of, on infectious chlorosis, 180
Infectious variegations, physiology and pathology of, 150
Inoculation, transmission of leaf variegation through, 152, 184
Insects, transmission of infectious chlorosis by, 152
Iola, 488

K

Kitaibelia vitifolia, showing infection through grafting, 218
Knudson's Solution B, as a medium for growing orchids, 501, 503

L

Laburnum, infectious chlorosis in, 159
La Garde, Roland V. Non-symbiotic germination of orchids, 499
La Garde's Solution L, as a medium for growing orchids, 501, 506
Lasiosphaeria Elinorae, 290, 362; *nematospore*, 289, 362; *pezizula*, 314, 368
Lavatera arborea, infectious chlorosis in, 159
Leonian agar, effect of: on germination of ascospores of *Daldinia*, 440; on growth of mycelium of *Daldinia*, 463, 465, 467, 468

- Levulose, growth of *Cattleya* seedlings on medium containing, 505, 507
 Lieneman, Catharine. A host index to the North American species of the genus *Cercospora*, 1
 Life history and cytology of *Saccoblastia intermedia*, n. sp., 487
 Light: effect of intensity of, upon variegation of leaves, 156; effect of quality of, upon variegation of leaves, 157, 172; and darkness, effect of, on growth of mycelium of *Daldinia*, 456
Ligustrum vulgare, variegation in leaves of, 158
 Linder, David H. A monograph of the Helicosporous Fungi Imperfecti, 227;
 The life history and cytology of *Saccoblastia intermedia*, n. sp., 487
Lituarium stigmatum, 298

M

- Maltose, media containing: effect of, on germination of ascospores of *Daldinia*, 443; growth of *Cattleya* seedlings on, 503, 506
 Malvaceae, infectious chlorosis in, 156, 159
Marsonia fructigena, 343
 Mathias, Mildred E. Notes on southwestern plants, I, 399, II, 401; Studies in the Umbelliferae, II, 393
 Media: effect of different, on germination of ascospores of *Daldinia*, 440; effect of different, on growth of mycelium of *Daldinia*, 462; for growing orchids, 501; plain nutrient, 506, 507
Melanomma helicophilum, 320
 Monograph of the Helicosporous Fungi Imperfecti, 227
 Morphological characters of the ascocarp and asexual stage of species of *Daldinia*, 475
 Mycelium of *Daldinia*: factors influencing the growth of, 456; effect of light and darkness on, 456; effect of different media and different temperatures on, 462; effect of different hydrogen-ion concentrations on, 471
Mytilina Pseudacaciae, 123
Mytilina Pseudo-Acaciae, 123

N

- Neoparrya*, A new genus of the Umbelliferae, 393
Neoparrya lithophila, 393, 398
Nerium Oleander, 409
 Nitrogen: effect of, on growth of *Cattleya* seedlings, 512; in variegated leaves, 171
Nodulisporium Tulasnei, 414

- Non-symbiotic germination of orchids, 499
 Notes on southwestern plants, I, 399, II, 401
 Nutrient relations in variegated leaves, 170
 Nutrition of the fungi, 462

O

- Oatmeal agar: effect of, on germination of ascospores of *Daldinia*, 441; effect of, on mycelial growth, 464, 466, 467, 469
 Orchids: Non-symbiotic germination of, 499; "advanced spherule stage" of, 502; reducing sugars in seeds of, 510
 Osmotic pressure in variegated leaves, 170
 Oxygen, effect of, on germination of ascospores of *Daldinia*, 422

P

- Pepsin solutions, effect of, on germination of ascospores of *Daldinia*, 427
 Pfeffer medium: effect of, on germination of ascospores of *Daldinia*, 441; effect of, on mycelial growth, 464, 465, 467, 469
 Phosphorus: effect of, on growth of *Cattleya* seedlings, 512; in variegated leaves, 170
 Pigments in variegated leaves, 169, 188
Pimpinella, A new, to North America, 396
Pimpinella Saxifraga, 396, subsp. *nigra*, 396
Platanus decoction: effect of, on germination of ascospores of *Daldinia*, 441; effect of, on mycelial growth, 463, 465, 466, 468
 Potassium: effect of, on growth of *Cattleya* seedlings, 512; in variegated leaves, 170
 Prune decoction, effect of, on germination of ascospores of *Daldinia*, 441

R

- Rhizobium* sp., 123
Rhizopogon Marchii, 121; *niger*, 122; *virens*, 94; *virescens*, 94
Robinia Pseudacacia, 123
 Root, general observations upon the, in response to different solutions, 69
 Root hairs in solutions, Studies on the growth of, IX, 53
 Roush, Eva M. Fling, J. M. Greenman and. New agaves from southwestern United States, 389

S

- Saccoblastia caroliniana*, 487; *intermedia*, 488; *sebacea*, 487, var. *pruinosa*, 487; *subardosiaca*, 487
Saccoblastia intermedia, n. sp., The life history and cytology of, 487
Saccogloea, 487
Senecio aureus L., A new variety of, 405
Senecio aureus, 405, var. *Ashel*, 406, 406; *tomentosus*, 405
Septobasidium album, 491
Seseli Nuttallii, 393
Sida Abutilon, variegation in leaves of, 159
Soil and mineral nutrients, relation of, to infectious chlorosis, 158
Sorbus Aucuparia, variegation in leaves of, 159
Southwestern plants, Notes on, I, 399, II, 401
Sphaeria helicoma, 229; *helicophila*, 320; *pezizula*, 314
Splanchnomyces, 83; *clathroides*, 94; *membranaceus*, 104; *nephriticum*, 99
Starch in variegated leaves, 170
Sterilization of orchid seeds, 501
Studies in the Apocynaceae, 407
Studies in the Umbelliferae, II, 393
Sucrose: germination of ascospores of *Daldinia* on media containing, 419; growth of *Cattleya* seedlings on media containing, 503, 506
Sugars: effect of medium containing, on germination of ascospores, 443; effect of various, on growth of *Cattleya* seedlings, 503, 506
Symbiotic fungus, effect of a, on germination of orchid seedlings, 511

T

- Temperature: effects of, on germination of ascospores of *Daldinia*, 431; effect of, on growth of mycelium, 463; in

- relation to growth on various media, 438
Troposporella, 334; *fumosa*, 335, 384
Troposporium, 345; *album*, 345

U

- Ultra-violet radiation, effect of, on germination of ascospores of *Daldinia*, 427
Umbelliferae, Studies in the, II, 393
Uredinales, 491
Uredo farinosa, 343

V

- Variation in *Aster anomalus*, 129
Variegated plants, Some chemical and physiological studies on the nature and transmission of "infectious chlorosis" in, 145
Variegations, leaf, anatomy of, 166; chemistry of, 169; general physiology and pathology of, 148
"Virus" theory of infectious variegation, 150, 165

W

- Woodson, Robert E. Jr. Studies in the Apocynaceae, IIIA, 407

X

- Xenosporella*, 317; *Berkoleyi*, 318, 376; *larvalis*, 322, 376; *pleurococca*, 318, 376; *Thaxteri*, 320, 376

Z

- Zeller, S. M. and Carroll W. Dodge. *Hysterangium* in North America, 83